

z/VM V6.4: Customer Driven Release

June 21, 2017 Version 11
z/VM Development Lab Client Focus & Care
bitnerb@us.ibm.com



Trademarks

The following are trademarks of the International Business Machines Corporation in the United States and/or other countries.

BladeCenter*	FICON*	OMEGAMON*	RACF*	System z9*	zSecure
DB2*	GDPS*	Performance Toolkit for VM	Storwize*	System z10*	z/VM*
DS6000*	HiperSockets	Power*	System Storage*	Tivoli*	z Systems*
DS8000*	HyperSwap	PowerVM	System x*	zEnterprise*	
ECKD	IBM z13*	PR/SM	System z*	z/OS*	

* Registered trademarks of IBM Corporation

The following are trademarks or registered trademarks of other companies.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.
 Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.
 Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.
 IT Infrastructure Library is a registered trademark of the Central Computer and Telecommunications Agency which is now part of the Office of Government Commerce.
 ITIL is a registered trademark, and a registered community trademark of the Office of Government Commerce, and is registered in the U.S. Patent and Trademark Office.
 Java and all Java based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.
 Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and
 Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.
 Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.
 OpenStack is a trademark of OpenStack LLC. The OpenStack trademark policy is available on the [OpenStack website](#).
 TEALEAF is a registered trademark of Tealeaf, an IBM Company.
 Windows Server and the Windows logo are trademarks of the Microsoft group of countries.
 Worklight is a trademark or registered trademark of Worklight, an IBM Company.
 UNIX is a registered trademark of The Open Group in the United States and other countries.

* Other product and service names might be trademarks of IBM or other companies.

Notes:

Performance is in Internal Throughput Rate (ITR) ratio based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput improvements equivalent to the performance ratios stated here.
 IBM hardware products are manufactured from new parts, or new and serviceable used parts. Regardless, our warranty terms apply.
 All customer examples cited or described in this presentation are presented as illustrations of the manner in which some customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics will vary depending on individual customer configurations and conditions.
 This publication was produced in the United States. IBM may not offer the products, services or features discussed in this document in other countries, and the information may be subject to change without notice. Consult your local IBM business contact for information on the product or services available in your area.
 All statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.
 Information about non-IBM products is obtained from the manufacturers of those products or their published announcements. IBM has not tested those products and cannot confirm the performance, compatibility, or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.
 Prices subject to change without notice. Contact your IBM representative or Business Partner for the most current pricing in your geography.
 This information provides only general descriptions of the types and portions of workloads that are eligible for execution on Specialty Engines (e.g., zIIPs, zAAPs, and IFLs) ("SEs"). IBM authorizes customers to use IBM SE only to execute the processing of Eligible Workloads of specific Programs expressly authorized by IBM as specified in the "Authorized Use Table for IBM Machines" provided at www.ibm.com/systems/support/machine_warranties/machine_code/aut.html ("AUT"). No other workload processing is authorized for execution on an SE. IBM offers SE at a lower price than General Processors/Central Processors because customers are authorized to use SEs only to process certain types and/or amounts of workloads as specified by IBM in the AUT.

Notice Regarding Specialty Engines (e.g., zIIPs, zAAPs and IFLs):

Any information contained in this document regarding Specialty Engines ("SEs") and SE eligible workloads provides only general descriptions of the types and portions of workloads that are eligible for execution on Specialty Engines (e.g., zIIPs, zAAPs, and IFLs). IBM authorizes customers to use IBM SE only to execute the processing of Eligible Workloads of specific Programs expressly authorized by IBM as specified in the "Authorized Use Table for IBM Machines" provided at www.ibm.com/systems/support/machine_warranties/machine_code/aut.html ("AUT").

No other workload processing is authorized for execution on an SE.


IBM offers SEs at a lower price than General Processors/Central Processors because customers are authorized to use SEs only to process certain types and/or amounts of workloads as specified by IBM in the AUT.

Abstract


This session will take a high level view of the new z/VM 6.4 release that became Generally Available on November 11, 2016. It was a release born from customer feedback and with that, each customer should find some significant value in the release. We'll discuss items such as HyperPAV for z/VM ECKD paging, 2TB real memory support, improved SCSI management, a new CMS Pipelines library, and much more.

z/VM Version 6 Release 4

Designed for Clients of Today and Tomorrow



See <http://www.vm.ibm.com/zvm640/>



IBM z/VM 6.4

- A release born from customer feedback
 - z Systems Business Leaders Council (zBLC)
 - SHARE dialogues
 - IBM internal T3s (Teach the Teacher)

- Prioritizations set by customers and adjusted by IBM resources and skills

- Two major areas:
 - Technical enhancements that continue to improve TCO and bring direct value
 - Improved quality of life for z/VM system programmers

- New Architecture Level Set (ALS)
 - z196 and z114 or newer
 - Drops z10 EC and BC support



Value Areas of z/VM 6.4

- Improves scaling and TCO in a single footprint
 - More virtual machines in a single z/VM system
- Improves the management for large diverse workloads
 - Fair and accurate resource control
 - Guest exploitation of z Systems and LinuxONE hardware
- Shortens road to installation and migration
 - New customers
 - Existing customers
- Adds capabilities for automation and system programmer effectiveness
 - Scripting and automation frameworks
 - Problem determination
- Enhances security framework
- Many other smaller enhancements to improve various aspects of supporting z/VM
 - Network
 - Performance
 - Systems Management




TCO and Scaling Improvements

- z/VM continues to be able to support more virtual machines in a single footprint with reasonable service levels than any other solution
 - Major component to the TCO story
 - Capacity increases that do not result in additional support personnel

- Real memory support increased from 1 TB to 2 TB with same degree of overcommitment of real memory
 - Individual virtual machine limit remains at 1 TB

- Dynamic SMT added to change the number of active threads per core without a system outage
 - Potential capacity gains going from SMT-1 to SMT-2 (one to two threads per core) can now be achieved dynamically
 - Can go from SMT-2 to SMT-1 in rare case that it is not optimal for workload (response time concerns greater than capacity gains)
 - Requires running in SMT enabled, but can vary active threads per core



Increased Paging Capability

- Memory overcommitment helps keep TCO values low. Paging effectively allows for better overcommitment ratios.

- z/VM paging to ECKD (DS8000) improved significantly
 - Use of HyperPAV allows:
 - Greater paging bandwidth with parallel I/O
 - Fewer, but larger page volumes
 - Use of High Performance Ficon (zHPF)
 - More efficient I/O processing for z/VM system I/O


- z/VM system volume usage (including paging) with FCP SCSI attached FlashSystems Storage Servers
 - Removes requirement for SAN Volume Controller (SVC aka Spectrum Virtualize) as intermediary for z/VM volumes; lowers latency and removes an expense



Performance Enhancement via Service

▪ SCSI XIV Enhancements:

- Improved performance for EDEVICES using XIV hardware through allowing multiple I/O commands to be issued concurrently. Particularly benefits EDEV paging I/O or shared volumes with minidisks
- APAR VM65929
 - PTF UM35080 (z/VM 6.4) closed March 9, 2017




Handling Diverse Workloads

- Various algorithms changed to remove large system effects and manage memory even more effectively
 - Better and more consistent performance

- Scheduler changes to further improve the accuracy and fairness of access to resources across various configurations
 - Removes surplus share problem seen on earlier releases
 - Eliminates eligible list to avoid complexity of tuning

- RAS improvements for FCP SCSI Disk environments
 - SCSI driver has additional path recovery
 - Concurrent SVC code loads supported
 - And much more

- New ability to free up paging disk space used (KEEPSLOT = NO)
 - Helpful in environments where memory overcommitment is low
 - Reduces the disk paging space used in a z/VM environment by trading off potential for additional paging I/O.



Greater Guest Efficiencies

- Support for Guests to use Large Page (1 MB pages)
 - Allows guests to use the Enhanced DAT (EDAT-1) architecture
 - Reduces the amount of memory used for guest DAT structures and pathlength to manage that memory
 - z/VM continues to manage on a 4KB basis, retaining the full benefit of overcommitment

- Support for Guests to use Transactional Execution Facility (TX Facility)
 - Guests now informed that TX facility is available for use in z/VM environment
 - TX facility provides instructions that are an efficient alternative for synchronization
 - Performance improvement in processor requirements
 - Requires guest to be at supported level


- Support for Guests to use SIMD (Single Instruction Multiple Data)
 - Guests now informed SIMD is available for use in z/VM environment
 - Performance improvement in processor requirements
 - Requires guest to be at supported level
 - Requires z13, z13s, or LinuxONE
 - Also available on z/VM 6.3 with PTF UM34752




Getting Up and Running

- Upgrade In Place – For existing z/VM 6.2 and 6.3 customers
 - Allows moving to z/VM 6.4 from existing systems rather than a new install
 - Support for vendor products, local mods, and backing out if necessary
 - See Install Guide for details

- Dynamic Partition Manager (DPM) – For new customers
 - Support added to allow z/VM 6.4 logical partitions to be configured through new DPM interface rather than traditional PR/SM
 - I/O configuration much easier than older IOCDS approach
 - Limited to FCP SCSI only, no FICON at this time
 - No Single System Image Cluster or Live Guest Relocation
 - Must be at recent level of DPM (Driver 27 Bundle S31)



Frameworks for Automation



- CP Environment Variables
 - Allows z/VM meta data to be managed in a structured way
 - Variables set by system programmers
 - Variables read by programs for scripting
 - Replaces homegrown approaches for passing information around, and adds control to the environment
 - One special variable can be set on the IPL screen
 - Example: set as to whether Production, Test DR, or Actual DR

- New information available on z/VM Shutdown processing
 - Better determination of what is shutting down
 - Allows more robust automation to gracefully shutdown the z/VM system and virtual machines

- Significant upgrade to CMS Pipelines
 - Objective is to make available, with the product, many of the advances made to Pipelines since it was last updated in the product
 - Lots of new function
 - Avoids customers having to download and install on their own
 - Renews commitment to this powerful programming environment of Pipelines

Problem Determination Aids

- New CP command to determine which PTFs or Local Mods are in the running z/VM system
 - Data is also provided in the z/VM monitor data stream

- New information on disk configurations
 - CP QUERY commands extended for both ECKD and EDEVs
 - Serial numbers, geometry information, features, etc.
 - Some data provided as ‘block of hex’ for vendor specific interpretation
 - New IOEXPLOR exec to format new information and make readable
 - Applies to IBM devices

- New command EXPLORE FCP allows for testing
 - ADD: adds FCP subchannel and WWPN to list of devices to be tested
 - START: activates FCP subchannels and opens WWPN ports in list of SCSI devices to be tested
 - Aids in problem determination when setting up FCP devices




Enhanced Security Items

- VLAN access security improvement
 - With an ESM, user access to the default VLAN ID not permitted unless permissions has been granted explicitly through the ESM

- Default TLS protocol settings changed when using TLS/SSL Server
 - TLS 1.2 and TLS 1.1 are enabled by default, older versions disabled by default

- DirMaint to RACF Connector
 - Modernizes the Connector with a collection of functional enhancements
 - Brings processing in line with modern z/VM practices
 - Allows better passing of directory information to RACF
 - Facilitates proper security policy in environment managed by IBM Wave for z/VM or OpenStack

- RSCS TCPNJE traffic can be encrypted



Enhanced Security PTFs

- **RACF Security Policy Enhancements:**
 - Functional RACF enhancements providing improved security and usability for security administrators and auditors
 - APAR VM65930
 - PTF UV61335 (z/VM 6.4) closed March 17, 2017
 - APAR VM65982
 - PTF UM35042 (z/VM 6.4) closed March 22, 2017

- **Crypto Express APVIRT for TLS/SSL Server:**
 - Enable connectivity from the TLS/SSL Server to crypto adapters for improved performance and reduced CPU overhead
 - APAR PI72106
 - PTF UI45923 (z/VM 6.4) – Closed March 29, 2017

Other Enhancements to Highlight

- Ability to reset counters for a Virtual Switch
 - Clear counts for data, discarded, and error
 - Makes it easier to recognize conditions

- Systems Management APIs (SMAPI) updated with support for z/VM 6.4

- New SET DIALDROP command establishes whether devices dialed to your virtual machine are dropped or stay connected when a virtual machine reset occurs

- Following upgraded to a level equivalent to z/OS 2.2:
 - LDAP server and client utilities
 - MPROUTE
 - System SSL and utilities
 - Program Management Binder

Other New Function PTFs

- **SSI Distributed IUCV:**

- SSI configuration and administration improvements; Remove restrictions on distributed IUCV connections in an SSI cluster while allowing distributed IUCV policy to be changed dynamically
- APAR VM65872
 - PTFs UM35052 (z/VM 6.3) and UM35053 (z/VM 6.4) closed Feb 27, 2017

Stay informed about New Function PTFs

- Off z/VM Service Page <http://www.vm.ibm.com/service/> is new page for new function APARs
 - <http://www.vm.ibm.com/service/vmnfapar.html>

- Applies to z/VM operating system and related products:
 - Operations Manager for z/VM
 - Backup and Restore Manager for z/VM
 - OMEGAMON XE on z/VM and Linux
 - Etc.

- Subscribe to receive notifications automatically when new function APARs close

- Obtain lists of previously shipped new function APARs

z/VM 6.4 Supported Hardware

- Following z Systems servers:
 - z13
 - z13s
 - LinuxONE Emperor
 - LinuxONE Rockhopper
 - IBM zEnterprise EC12
 - IBM zEnterprise BC12
 - IBM zEnterprise 196
 - IBM zEnterprise 114

- Electronic and DVD install
 - No tapes

z/VM Release Status Summary

z/VM Level	GA	End of Service	End of Marketing	Minimum Processor Level	Maximum Processor Level	Security Level
6.4	11/2016			IBM System z196 & z114®	-	Statement of Direction
6.3	7/2013	12/2017 ^[1]	11/2016	IBM System z10®	-	EAL 4+ OSPP-LS
6.2	12/2011	6/2017 ^[2]	7/2013	IBM System z10®	z13	-
5.4	9/2008	12/2017 ^[3]	3/2012	IBM eServer zSeries 800& 900	zEC12	-

^[1] Announced February 3, 2015

^[2] Announced February 2, 2016

^[3] Announced August 2, 2016

Statements of Direction

July 23, 2013

January 14, 2015

February 16, 2016

October 25, 2016

- Subset of IBM Statements of General Direction that are most important to the z/VM environment. See announcement materials for additional statements.
- Subject to change or withdrawal without notice, representing IBM goals and objectives only.

Removal of ESA/390 Architecture Mode

January 14, 2015

The IBM z13 will be the last z Systems server to support running an operating system in ESA/390 architecture mode; all future systems will only support operating systems running in z/Architecture mode. This applies to operating systems running native on PR/SM as well as operating systems running as second level guests. IBM operating systems that run in ESA/390 mode are either no longer in service or only currently available with extended service contracts, and they will not be usable on systems beyond IBM z13. However, all 24-bit and 31-bit problem-state application programs originally written to run on the ESA/390 architecture will be unaffected by this change.

- While a hardware statement, there are potentially changes required for z/VM.
- Note implication of older operating systems.

Stabilization of z/VM 6.2 Support

January 14, 2015

The IBM z13 server family is planned to be the last z Systems server supported by z/VM V6.2 and the last z systems server that will be supported where z/VM V6.2 is running as a guest (second level). This is in conjunction with the statement of direction that the IBM z13 server family will be the last to support ESA/390 architecture mode, which z/VM V6.2 requires. z/VM V6.2 will continue to be supported until December 31, 2016, as announced in Withdrawal Announcement [914-012](#), dated February 04, 2014.

- z/VM 6.2 will be supported until July 2017 (February 2016 announcement extended it to July 2017 from this original December 2016).
- There will **not** be z/VM 6.2 support for the next server family.
- Similar to the statement of direction with z/VM 5.4 not supported on z13.

Stabilization of z/VM Support for z196 Processor Family

October 25, 2016 Announcement

Stabilization of z/VM support for the IBM zEnterprise 196 (z196) family: z/VM V6.4 is the last z/VM release planned to support the IBM Enterprise 196 (z196) or IBM zEnterprise 114 (z114) family of servers. Either an IBM zEnterprise EC12 (zEC12) or an IBM zEnterprise BC12 (zBC12) is planned as the required minimum level of server for future z/VM releases. Refer to the IBM Support Portal for the most current support lifecycle information for z/VM.

Removal of Support for IEEE 802.3 Ethernet Frame Types

October 25, 2016 Announcement

Removal of support for IEEE 802.3 Ethernet frame types:

z/VM V6.4 is planned to be the last z/VM release to support IEEE 802.3 Ethernet frame types. All future z/VM releases are planned to support DIX Version 2 (DIX V2) exclusively. This includes the z/VM Virtual Switch (VSwitch) and the z/VM TCP/IP server.

Removal of Support for the IMAP Server

October 25, 2016 Announcement

Removal of support for the IMAP server

z/VM V6.4 is planned to be the last z/VM release to support IMAP.

Removal of Support for Certain TCP/IP Functions

October 25, 2016 Announcement

Removal of support for certain TCP/IP functions

z/VM V6.4 is planned to be the last z/VM release to support the Graphics Data Display Manager Interface for X Window System (GDDMXD/VM).

Install to 3390 Model 3 DASD

October 25, 2016 Announcement

Install to 3390 Model 3 DASD

z/VM V6.4 will be the last release to allow installation using Model 3 3390 DASD (Direct Access Storage Device) volumes. Future z/VM releases will support 3390 installation using only model 9 or model 27 DASD. Installation onto SCSI volumes will not be affected.

FIPS Certification of z/VM V6.4

October 25, 2016 Announcement

FIPS Certification of z/VM V6.4

IBM intends to pursue an evaluation of the Federal Information Processing Standard (FIPS) 140-2 using National Institute of Standards and Technology's (NIST) Cryptographic Module Validation Program (CMVP) for the System SSL implementation utilized by z/VM V6.4.

Security Evaluation of z/VM V6.4

October 25, 2016 Announcement

Security Evaluation of z/VM V6.4

IBM intends to evaluate z/VM V6.4 with the RACF Security Server feature, including labeled security, for conformance to the Operating System Protection Profile (OSPP) of the Common Criteria standard for IT security, ISO/IEC 15408, at Evaluation Assurance Level 4 (EAL4+).

Removal of support for virtual machines with dedicated processors

October 25, 2016 Announcement

Removal of support for virtual machines with dedicated processors
z/VM 6.4 is planned to be the last z/VM release to support dedication of logical to virtual processors via the CP DEDICATE command or with the DEDICATE option on the CPU user directory statement. z/VM running in a logical partition with dedicated processors will continue to be supported.

Removal of IBM Wave support for SLES 10

October 25, 2016 Announcement

Removal of IBM Wave support for SLES 10

In a future deliverable, IBM intends to remove IBM Wave support for the administration of guests that are running the SUSE Linux Enterprise Server (SLES) 10 Linux distribution.

Removal of IBM Wave support for second extended filesystem (Ext2)

October 25, 2016 Announcement

Removal of IBM Wave support for second extended filesystem (Ext2)

In a future deliverable, IBM intends to remove IBM Wave support for the administration of Linux guest file systems that use Ext2.

Completed Statements of Direction

Statement of Direction	From Announce Letter
z/VM Support for Single Instruction Multiple Data (SIMD)	January 2015
Enhanced RACF® password encryption algorithm for z/VM	January 2015
KVM Offering for z Systems	January 2015
GDPS/PPRC Multiplatform Resiliency Capability	January 2015
Security Evaluation of z/VM 6.3	July 2013
FIPS 140-2 Validation of z/VM 6.3	July 2013
Support of 10 GbE RoCE Express Feature	July 2013
Support of zEDC Express Feature	July 2013
Stabilization of z/VM 5.4 Support	July 2013

- Requires support from hardware and/or guests operating systems as appropriate
- Refer to www.vm.ibm.com or www.vm.ibm.com/security for more information


Completed Statements of Direction

Statement of Direction	From Announce Letter
Product Delivery of z/VM on DVD/Electronic Only	January 2015
Dynamically Managed Thread Activation Levels	February 2016
Stabilization of z/VM Support for the z10 Server Family	February 2016
Removal of Support for Expanded Storage	January 2015
Withdrawal of Support for Expanded Storage	July 2013

- Requires support from hardware and/or guests operating systems as appropriate
- Refer to www.vm.ibm.com or www.vm.ibm.com/security for more information

Summary

z/VM 6.4



Appendix A: Subscribe to New Function PTFs

Subscribe to z/VM New Function APARs

www.vm.ibm.com/service/

United States [change]

Home Solutions Services Products Support & downloads My IBM

Welcome Tracy

IBM Systems > z Systems > z/VM >

z/VM Support Resources

NEW Interested in Continuous Delivery of function?

For continuous delivery of new function see the [New Function APARs](#) page.

z/VM Service Resources

This page provides you with a list of VM-related support information and other online support resources.

- [Important VM Service News](#)
- [z/VM Red Alert - Critical Issues](#)
- [Service Tips](#)
- [Using VMSES/E to find RSU Level or PTF/APAR Status](#)
- [Ordering and Installing Service for z/VM and related products](#)
- [RSU, Recommended Service Upgrade](#)
- [ESO: Products serviced by VM ESO with associated current levels](#)
- [z/VM SDO: \(System Delivery Offering\)](#)

Subscribe to z/VM New Function APARs

New Function APARs for the z/VM Platform

In response to the customer requirement: Make it easier to know when New Function APARs (SPEs) have closed for the z/VM platform, we are providing two notification methods.

1. First, you can use the existing MyNotifications functions within the IBM Support Portal. You can request a subscription to APARs designated as New Function. You may have a subscription today for other notifications, and the ability to include the New Function APARs is an additional capability. You will be notified when the APAR closes (and before the PTF is available) to give you the information as early as possible. To start off go to the website: [IBM Support Portal subscription services](#). Enter z/VM in Product Lookup.
2. The other is a view of older New Function APARs and is available from a website in lists. There are two formats for the lists one year or five years. These are sorted by APAR close date with the most recent APARs appearing at the top of the file.

To view the older New Function APARs see the table below. The files are available in two formats:

- o Browser-ready, web table (HTML). Save this file to your workstation then click it to display the information in a web page.
- o Comma-separated values (CSV). Save this file to your workstation, then import it into a spreadsheet program. The files uses semi-colons for delimiting items; you might need to indicate the use of this delimiter in your spreadsheet program.

The files are updated about every month. See the file content for the date of the most recent update.

File for download	for use with...
New function APARs for the past 12 months (HTML)	Web browser
New function APARs for the past five years (HTML)	Web browser
New function APARs for the past five years (CSV)	Spreadsheet program

Sign in with IBM ID

Subscribe to z/VM New Function APARs

Subscribe to notifications

Product lookup: [Browse for a product](#)

Product subscribed: z/VM family Unsubscribe

IBM Support >

My Notifications

[Delivery preferences](#)

Subscribe to z/VM New Function APARs

Delivery preferences

Send notifications via e-mail [Change your e-mail address](#)
[Redacted]

E-mail frequency Daily
(Flashes and security bulletins will be sent as soon as possible) Weekly

E-mail format HTML Plain text

Include machine translation of notifications (if available) [Change your preferred language](#)

Lists of Previously Shipped z/VM New Function APARs

New Function APARs for the z/VM Platform

In response to the customer requirement: Make it easier to know when New Function APARS (SPEs) have closed for the z/VM platform, we are providing two notification methods.

1. First, you can use the existing MyNotifications functions within the IBM Support Portal. You can request a subscription to APARs designated as New Function. You may have a subscription today for other notifications, and the ability to include the New Function APARs is an additional capability. You will be notified when the APAR closes (and before the PTF is available) to give you the information as early as possible. To start off go to the website: [IBM Support Portal subscription services](#). Enter z/VM in Product Lookup.
2. The other is a view of older New Function APARs and is available from a website in lists. There are two formats for the lists one year or five years. These are sorted by APAR close date with the most recent APARs appearing at the top of the file.

To view the older New Function APARs see the table below. The files are available in two formats:

- o Browser-ready, web table (HTML). Save this file to your workstation then click it to display the information in a web page.
- o Comma-separated values (CSV). Save this file to your workstation, then import it into a spreadsheet program. The files uses semi-colons for delimiting items; you might need to indicate the use of this delimiter in your spreadsheet program.

The files are updated about every month. See the file content for the date of the most recent update.

File for download	for use with...
New function APARs for the past 12 months (HTML)	Web browser
New function APARs for the past five years (HTML)	Web browser
New function APARs for the past five years (CSV)	Spreadsheet program